







*For your
home
workshop*



*World's
Finest*


There's a

Darrah-James

POWER

to save you hundreds of dollars and make your home jobs easier . . .


all year 'round!



Model No. 32A
8" TILTING ARBOR SAW

Sealed ball bearings. Cuts 2 1/2" deep. Self-aligning rip fence. Base 11 1/2" x 11". Table 14 1/8" x 17 1/4". Complete with machine mounted motor platform, fence, miter gage and 8" combination blade.


Extensions 7" x 17" \$18.50 **\$59.95**



Model No. 368
8" TILT ARBOR SAW

Best buy for top quality. 8" Tilt-Arbor saw with arbor mount motor bracket, lifetime sealed ball bearings and self-aligning fence. Heavy duty miter gage. Precision ground cast iron table 16" x 20". Height to table 13 1/2". Base 12 3/4" x 12 5/8". Cuts 2 5/8" deep.


Extensions 9" x 20" \$22.50 **\$79.95**



Model No. 335
BELT DISC SANDER

Complete with tilting table and miter gage which can be used against belt or disc. Rotates to horizontal or vertical position. 9" disc, 6" x 48" belt. Belt stop fence furnished. 5 bronze bearings. Drums 3" x 6 1/8". Construction cast iron. 10 1/4" high in horizontal position, 19 1/2" high upright, 27" long with table on side.


\$64.50



Model No. 212B
12" JIG SAW

Cast iron frame and table. Base and arm cast in one piece. Trouble-free lubrication. Table tilts right and left. Quadrant shows angle of tilt. Built-in Sawdust Blower.


\$24.95



Model No. 215
15" JIG SAW

Famous scotch-yoke splash lubricated mechanism. Built-in sawdust blower. Cast iron table 10" x 11" tilts 50° right and 25° left, locks with "T" handle screw lock. Sturdy cast iron frame. Sure grip blade chucks rotate to 90° for ripping long stock. 24" long, 10" wide, 14 1/4" high.

\$36.95



1/4", 1/3", 1/2"


HORSE POWERED GRINDER

Sealed shaft and bearings. Open-ended guards. Adjustable tool rests. Built-in snap switch. Cord, plug furnished.

625 - 1/4 h.p., 1 phase **\$59.95**

633 - 1/3 h.p., 1 phase \$64.95
Eye Shields (set of 2) \$ 6.25


635 - 1/2 h.p., 1 phase \$104.95



Model No. 640
4 1/2" JOINTER

Exclusive "Parall Motion" assures constant distance between blades and table, Rabbits 3/8", high speed steel cutter knives, 2 sets of ball bearings. Overall length 30 3/4", 9 1/8" wide. Safety guard easily removable, both tables adjustable.

\$56.95




Model No. 385C
9 1/2" BAND SAW

Cuts to center of 18" circle. Cuts 4" thick. Rigid one-piece cast iron frame. One-piece guard. Balanced wheels ride on "Oilite" and ball bearings. Cast iron table 11" x 10" tilts on machined trunnion. Blade 1/4" x 60". Height 28 1/2".

\$59.95


Makes every man a HANDYMAN around the house.

OOOL for every home workshop need . . .




Model No. 85A
8" TILT ARBOR SAW

Cuts to 2 3/8" deep. Arbor tilts to 45°, mounted in ball bearings. Cast iron table, 16" x 20". Self-aligning fence double locks. Deluxe miter gage. Patented spring tension motor mount. Steel base. **\$98.95**
Extensions 9" x 20" \$22.50




Model No. 60
9" TILT ARBOR SAW

Cuts up to 3 3/8" deep. Tilting arbor mounted on sealed ball bearings. Patented spring tension motor mount. Table size 34" x 20". Guard, splitter furnished. **\$179.95**
Extensions included.




Model No. 100
10" TILT ARBOR SAW

Cuts to depth of 3 3/8". Patented spring tension motor mount. Extension furnished (grid type.) Table working surface 36" x 25". Sealed ball bearings. Guard, indexing miter furnished. 3rd extension available with 52" guide bar. **\$229.95**




Model No. 218B
18" JIG SAW

Offers full 18" capacity from blade to frame. Depth 2 1/4". Self-lubricating bronze bearings. Table 12" x 12" tilts to 45° on heavy trunnions; has lever lock. B'ower in head. Scatch-yoke drive mechanism immersed in oil. Cast iron throughout. 1" stroke. Removable over-arm for work more than 18" in length. **\$54.95**




Model No. 920
9" GAP-BED LATHE

Length 47 3/8". Distance between centers 32 3/4". Swing over gap 11", over bed 9". Four step pulley. "Oilite" bearings. Spindle 3/4"-16. Outboard turning. Centers #1 Morse taper. Cast iron construction. **\$69.95**



Model No. 390
10" GAP-BED LATHE

Cast iron Gap Bed Lathe swings 12" over gap, 10" over bed. Accepts stock 36" long. V-belt drives from rear or below. Two sealed ball bearings. Takes #1 Morse taper centers. Spindle threaded for outboard turning. Sturdy tailstock. **\$79.95**
Other features.



Model No. 512
12" TILT ARBOR BAND SAW

Table stays flat as blade tilts. . . . All ball bearing including blade backing wheels. Depth of cut 7 1/2" at 90°, 9 1/8" at 45°. Capacity 1 5/8" at 45°, 1 1/4" at 90°. Table 14" x 14". Blades changed instantly. Accessories include stand, variable speed drive assembly, miter gage and rip fence. **\$129.50**


Model No. 350B
12" DRILL PRESS

Drills to center of 12" circle. Ground steel 5/8" spindle equipped with #33 Jacobs chuck. Four "Oilite" and 1 thrust ball bearing assure smooth performance. Heavy 1 1/8" diameter column gives rigid support. Cast iron table ground and slotted. **\$64.95**



Model No. 351B
FLOOR MODEL DRILL PRESS


Drills to center of 12" circle. It has a 5/8" spindle. Four "Oilite" and 1 thrust ball bearing. No. 33 Jacobs chuck. Steel column 1 1/8" diameter. Cast iron table and base. Spoke feed control adjustable. **\$82.95**



Start a fun-filled profit producing workshop NOW!


Darra-James ACCESSORIES

POWER TOOL STANDS



MODEL NO. 1
UNIVERSAL STAND

For use with Darra-James models 32A, 36A, 36B, 85A, 89A, 750, 395A, 335, 350B, 210, 212B, 215, 218B, 625, 633, 358C, 512, 815, 825, 640, 645; adaptable with other similar model power tools. Adjustable for height and length. Furnished with adjustable motor brackets. **\$21.95**



MODEL NO. 2

For use with Darra-James models 32A, 36A, 36B, 750, 85A, 89A, 395A, 335, 350B, 210, 212B, 625, 633, 385C; adaptable with other similar model power tools. Adjustable for height only. Overall length 21"; minimum height 24"; maximum height 33 1/4"; width 17 1/4".




MODEL NO. 3

For use with Darra-James models 380, 390, 920; adaptable with other similar model lathes. Overall minimum length 44 3/4"; overall maximum length 62 3/4"; width 17 1/4". **\$24.95**


MORTISING ATTACHMENT

For 350B and 351B Drill Presses. With this modern mortising attachment, your drill press is easily converted into an efficient mortising machine. Fence is quickly adjusted to permit wide range of mortises. Uniform cutting is assured. Hold down brace adjustable from 1/2" to 6". **\$12.75**



JOINTER KNIVES

for use with 640 — 395A Made of high-grade tool steel. Razor sharp edge gives smooth, straight cut. Semi-high speed steel (set of 3) — **\$4.95**
High speed steel (set of 3) — **\$6.25**



SHAPING CUTTERS


High-grade steel shaping cutters offer a wide variety of cuts, including moulding, groove, tongue and straight face. Set of 11 — or may be purchased singly. Set of 11, **\$27.25** — Singly, **\$2.75**

ROUTING BITS

Routing bits available in sizes 1/8", 3/16", 1/4", 3/8", 1/2", 5/8", 3/4", and 1" sizes. Set of 12 **\$22.95**
Singly **\$1.80 - \$2.60**


ELECTRIC MOTORS

These electric motors are famous for dependability and long life. The standard line includes 1/4 h.p., 1/3 h.p., 1/2 h.p., 3/4 h.p. and 1 h.p. units. (Ask for motor sheet.)



FACE PLATES

Four popular sizes: 3", 5", 6" and 8". Comes in 1/2" — 3/4" shank. Drilled and countersunk.



POLISHING HEADS

One-piece aluminum casting. 7" high, with cold rolled steel spindle mounted in bronze bearings.

SHAPER ATTACHMENT

Converts your drill press into a fine shaper. Consists of cast aluminum table and fence. Has all components for efficient shaping.



SAW BLADES

Rip, Cross-cut, Combination and Hollow Ground blades available in 8", 9" sizes.

Size 60" x 3/16"-1/4"-5/16"-1/8"-3/8" 6T — **\$1.45 - \$1.65**
metal cutting 1/4" x 60" **\$2.10** For use with D-J 9 1/2" Band Saw (No. 385) or any other band saw of this size. Blades for Model 512 — 74" long x 1/4"-5/16"-3/8" **\$1.50 - \$2.50**




WOOD TURNING TOOLS

Set of 8: 5/8" gouge, 3/8" spearpoint, 1/2" parting tool, 1/2" skew, 1/2" roundpoint, 1/2" gouge, 1" gouge, 1" skew. **\$18.95**

Set of 6: same as above, less 1" gouge and 1" skew. **\$13.95**




SANDING BELTS




6" x 48" for Model 335 Sander. FINE **\$2.00** **\$2.30**
MEDIUM
COARSE

9" SANDING DISCS



Fits any 1/2" shaft, 9" disc and sandpaper. Discs with hole for 1/2" or 5/8" arbor grit both sides. FINE **\$1.35** **\$1.75**
MEDIUM
COARSE

SANDING DRUMS



1" x 3", 2 1/2" x 3". 1 drum, 5 sleeves to package. 1" x 3" — **\$3.95**
2 1/2" x 3" — **\$5.95**

DADO HEADS

5" and 6". Dia. 1/2" and 5/8" Bore, 3/16" up to 13/16" wide, from **\$8.50** **16.95**

PULLEYS, V-BELTS

Single groove, 3-step and 4-step pulleys available. V-belts in all popular sizes available.

MINIMUM ORDER — \$1.50

For machine specifications and complete information on accessories, write for Bulletin FC-56

CL-56 Printed 1956



toolcraft CORPORATION
SPRINGFIELD 1, MASS.